

5 - Learn how to use **conditions**

/5


codidactic.com/5
[watch video](#) ↗




BEGIN block



END block



Variable a



Assignment block




Copyright © Álvaro Fernández, 2024.
All rights reserved.


Only for not-for-profit personal use

No part of this material may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright holder, except for personal or educational use, provided that the content is not modified and the integrity of the material is maintained. All brand names, product names, and company names mentioned herein are the property of their respective owners.

Only for not-for-profit personal use



Code block



Condition block





0	1	3	5	7	9	11
2	4	6	8	10	12	

⠠	⠠	⠠	⠠	⠠	⠠	⠠
⠠	⠠	⠠	⠠	⠠	⠠	⠠

0	1	3	5	7	9	11
2	4	6	8	10	12	

⠠	⠠	⠠	⠠	⠠	⠠	⠠
⠠	⠠	⠠	⠠	⠠	⠠	⠠

0	1	3	5	7	9	11
2	4	6	8	10	12	


⠠	⠠	⠠	⠠	⠠	⠠	⠠
⠠	⠠	⠠	⠠	⠠	⠠	⠠



Only for not-for-profit personal use



Only for not-for-profit personal use

Only for not-for-profit personal use





Only for not-for-profit personal use



codidactic[®]
.com