

6 - Operate with **variables**

/6

codidactic.com/6
[watch video](#) ↗

```
1 {  
2   let a = 2 + 1; // a:  
3   // tl  
4  
5   console.log(a); // p  
6 }
```

▶ RUN

Code editor
codidactic.com/code ↗



BEGIN block




END block




Copyright © Álvaro Fernández, 2024.
All rights reserved.

Only for not-for-profit personal use

No part of this material may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright holder, except for personal or educational use, provided that the content is not modified and the integrity of the material is maintained. All brand names, product names, and company names mentioned herein are the property of their respective owners.



Code block



Assignment block

Only for not-for-profit personal use




```
print(a)
```


```
print(k)
```

```
random()
```


Function calls



Variable a



Variable k



Variables

Only for not-for-profit personal use



0	1	3	5	7	9	11
2	4	6	8	10	12	

⠠	⠠	⠠	⠠	⠠	⠠	⠠
⠠	⠠	⠠	⠠	⠠	⠠	⠠


0	1	3	5	7	9	11
2	4	6	8	10	12	

⠠	⠠	⠠	⠠	⠠	⠠	⠠
⠠	⠠	⠠	⠠	⠠	⠠	⠠

0	1	3	5	7	9	11
2	4	6	8	10	12	

⠠	⠠	⠠	⠠	⠠	⠠	⠠
⠠	⠠	⠠	⠠	⠠	⠠	⠠

Only for not-for-profit personal use



Arithmetic operators

Only for not-for-profit personal use